
Accessible Deck-Mounted Time-Flow Washbasin Tap with Extended Lever

Code: FAN9001L
EAN: 5901764296591





Faneco FAN9001L self-closing accessible basin tap made of chrome-plated brass with a polished finish. Designed for cold or premixed water and operated using an extended lever for easier use. The water flow time can be adjusted between 8 and 12 seconds, with a flow rate limited to 6 l/min. Equipped with a standard aerator and a 1/2" connection. Its vandal-resistant construction makes it suitable for accessible public and commercial washrooms. WRAS certified.

Technical information

About the product

Collection	FANECO
Product type	Self-closing taps
Category	Bathroom Fittings
Brand	Faneco
EAN	5901764296591

Application

Intended use	Accessible bathrooms
Wheelchair accessible	Yes
Vandal resistance	Yes

Operating parameters

Water type	For cold and mixed water

Features and functions

Key features	adjustable water flow time (8–12 s); reduced water flow; suitable for people with disabilities – lever-operated control
Water flow limit	Up to 6l/min.
Adjustable head	No

Appearance and finish

Color	Chrome

Materials

Material	Chrome-plated brass

Mechanism and operation

Activation type	extended lever
Flow time	8–12 s

Dimensions and weight

Width (mm)	50.0
Depth (mm)	146.0
Weight (kg)	0.83 kg
Additional dimensions	Dimensions: 200 × 50 × 146 mm

Mounting and connections

Mounting method	Deck-mounted (on the washbasin, single hole)
Installation hole type	single-hole
Connection size	1/2"

Set contents

Installation kit	Yes
Set contents	tap; aerated spout; mounting kit

Warranty

Warranty (years)	2.0
Warranty Type	door-to-door (excluding consumable parts)

Logistics – unit carton

Carton Height (mm)	260.0 mm
Carton Depth (mm)	150.0 mm
Carton weight	0.95 kg

Logistics – master carton

Units per master carton	10.0
Master carton height	300.0 mm
Master carton depth	420.0 mm
Master carton width	400.0 mm
Master carton volume (m³)	0,05 m³
Master carton weight	9,5 kg

Description

Deck-mounted time-flow washbasin tap with an extended operating lever, designed for accessible washrooms. The body is made of chrome-plated brass and the tap is suitable for cold or premixed water. The extended lever makes the tap easier to operate, while the automatic shut-off helps reduce unnecessary water consumption.

The water flow time can be adjusted from 8 to 12 seconds. The tap has a 1/2" connection and a spout fitted with a standard aerator. The set includes the tap, spout and washbasin mounting kit. The product measures 200 × 50 × 146 mm and is WRAS certified.

- **Body material:** chrome-plated brass
- **Water supply:** cold or premixed water
- **Activation:** lever
- **Water flow time:** adjustable, 8–12 s
- **Maximum water flow rate:** 6 l/min
- **Connection:** 1/2"

Product code: FAN9001L
Faneco

- **Installation:** deck-mounted, single-hole
- **Mounting kit:** included
- **Height:** 200 mm
- **Width:** 50 mm
- **Depth:** 146 mm
- **Certification:** WRAS

View product page
https://faneco.com/en/produkt/accessible-deck-mounted-time-flow-washbasin-tap-with-extended-lever/

Product code: FAN9001L
Faneco