
Self-Closing Basin Tap Faneco 9090

Code: FAN9090
EAN: 5901764296898





Faneco 9090 self-closing basin tap made of chrome-plated brass with a polished finish. Designed for cold or premixed water and activated by a push button. The water flow time can be adjusted between 0 and 12 seconds, with a flow rate limited to 6 l/min. Equipped with a standard aerator and a 1/2" connection. Its vandal-resistant construction makes it suitable for public and commercial washrooms. WRAS certified.

Technical information

About the product

Collection	FANECO
Product type	Self-closing taps
Category	Bathroom Fittings
Brand	Faneco
EAN	5901764296898

Application

Vandal resistance	Yes

Operating parameters

Water type	For cold and mixed water

Features and functions

Key features	Maximum water flow rate: 6 l/min; high resistance to vandalism; easy to use; easy installation
Adjustable head	No

Appearance and finish

Color	Chrome

Materials

Material	Chrome-plated brass

Mechanism and operation

Activation type	button
Flow time	8–12 s

Dimensions and weight

Height (mm)	91.0
Width (mm)	46.0
Depth (mm)	150.0
Weight (kg)	0.76 kg
Additional dimensions	Dimensions: 91 × 150 × 46 mm

Mounting and connections

Mounting method	Deck-mounted (on the washbasin, single hole)
Installation hole type	single-hole
Connection size	1/2"

Set contents

Installation kit	Yes
Set contents	tap; spout with aerator; mounting kit for washbasins

Warranty

Warranty (years)	2
Warranty Type	door-to-door (excluding consumable parts)

Logistics – unit carton

Carton Height (mm)	190.0 mm
Carton Depth (mm)	70.0 mm
Carton weight	0.8 kg

Logistics – master carton

Units per master carton	20.0
Master carton height	300.0 mm
Master carton depth	420.0 mm
Master carton width	400.0 mm
Master carton volume (m³)	0,05 m³
Master carton weight	16.0 kg

Description

Deck-mounted time-flow washbasin tap made of chrome-plated brass, designed for cold or premixed water. The tap is activated by pressing the push button, with an adjustable water flow time of 0–12 seconds. Automatic shut-off helps reduce unnecessary water consumption, making the tap particularly suitable for frequently used public washrooms.

The tap has a 1/2" connection and a spout fitted with a standard aerator. The set includes the tap, spout and mounting kit for installation on a washbasin. The model is WRAS certified and measures 91 × 150 × 46 mm.

- **Body material:** chrome-plated brass
- **Water supply:** cold or premixed water
- **Activation:** push button
- **Water flow time:** adjustable, 0–12 s
- **Maximum water flow rate:** 6 l/min
- **Connection:** 1/2"
- **Installation:** deck-mounted
- **Height:** 91 mm
- **Width:** 150 mm
- **Depth:** 46 mm

Product code: FAN9090
Faneco

- **Certification:** WRAS

View product page
https://faneco.com/en/produkt/bateria-czasowa-umywalkowa-stojaca-faneco-9090-en/

Product code: FAN9090
Faneco