Faneco 7/5 Right-Hand 90° Angled Disabled Grab Bar, Ø 32 mm, Polished Stainless Steel

Code: S32UKP75SNP
EAN: 5901764295211





The Faneco 90° right-angle grab bar, measuring 700 × 500 mm, is designed for restrooms adapted for people with disabilities and users with limited mobility. The model is made of AISI 304 stainless steel with a polished finish, featuring a tube with a diameter of Ø32 mm and arms measuring 700 mm and 500 mm in length. The structure has three support points, and the wall mounting system, secured with nine screws, ensures a stable installation with a maximum load capacity of 120 kg.

Technical information

About the product

Product type	Angled grab bar
Category	Grab Bars
Brand	Faneco
EAN	5901764295211

Application

Intended use	Accessible bathrooms

Features and functions

Max. load (kg)	120.0 kg

Appearance and finish

Color	Steel
Handrail shape	Angled
Orientation	Right
Finish	Połysk

Materials

Material	AISI 304 stainless steel
Grab Bar Steel Thickness (mm)	1.5 mm
Rosette Steel Thickness (mm)	0.5 mm
Support Steel Thickness (mm)	3.0 mm
Steel joining	TIG welding

Dimensions and weight

Pipe diameter (mm)	32.0 mm
Height (mm)	700.0mm
Width (mm)	500.0
Depth (mm)	102.0mm
Vertical arm (mm)	700.0 mm
Horizontal arm (mm)	500.0 mm
Bend angle (°)	90.0 °
Distance from wall (mm)	86.0 mm
Support diameter (mm)	75.0 mm
Rosette diameter (mm)	76.0 mm
Weight (kg)	1.8 kg
Additional dimensions	Dimensions: 700 × 500 × 102 mm

Mounting and connections

Installation orientation	Right-hand
Fixing type	wall-mounted
Mounting method	wall-mounted
Number of mounting points	9
Number of support points	3
Wall plug size (mm)	8mm x 50mm
Screw size (mm)	5mm x 60mm

Set contents

Wall plugs included	Yes
Screws included	Yes

Warranty

Warranty (years)	2
Warranty Type	door-to-door

Logistics – unit carton

Carton weight	2.0 kg

Description

An angled wall-mounted grab bar designed for installation next to the shower or toilet. Three support points ensure a stable structure, and the 90° angle of the two arms provides the user with support in the shower or bathroom area.

The handrail is made of **AISI 304 stainless steel with a polished finish**. The tube has a diameter of Ø32 mm and a wall thickness of 1.5 mm. The steel components are joined using the TIG welding method.

- **Type: 90° angled handrail, 3-support**
- **Orientation: right**
- **Vertical arm: 700 mm**
- **Horizontal arm: 500 mm**
- **Material: AISI 304 stainless steel**
- **Finish: gloss**
- **Pipe diameter: Ø32 mm**
- **Pipe thickness: 1.5 mm**
- **Bracket diameter: Ø75 mm**

Product code: S32UKP75SNP
Faneco

- **Bracket thickness: 3 mm**
- **Diameter of the cover plate: Ø76 mm**
- **Rosette thickness: 0.5 mm**
- **Bend angle: 90°**
- **Maximum load: 120 kg**
- **Number of support points: 3**
- **Joining components: TIG welding**
- **Mounting: wall-mounted, 9-screw**
- **Overall dimensions: 700 × 500 × 102 mm**
- **Weight: 1.8 kg**

View product page
https://faneco.com/en/produkt/faneco-7-5-right-hand-90-angled-disabled-grab-bar-o-32-mm-polished-stainless-steel/

Product code: S32UKP75SNP
Faneco