
Faneco Left-Hand 3-Point Fixed Disabled Grab Bar, 55 cm, Ø 32 mm, Polished Stainless Steel

Code: S32UUL55SNP
EAN: 5901764295105





The Faneco 3-support fixed left-side grab bar, 550 mm long, is designed for restrooms adapted to the needs of people with disabilities and users with limited mobility. The model is made of AISI 304 stainless steel with a polished finish, featuring a Ø32 mm tube and an additional support point that increases the structure’s stability. Wall mounting with nine screws ensures a durable installation with a maximum load capacity of 120 kg.

Technical information

About the product

Product type	Washbasin grab bar with 3 supports
Category	Grab Bars
Brand	Faneco
EAN	5901764295105

Application

Intended use	Accessible bathrooms

Features and functions

Max. load (kg)	120.0 kg

Appearance and finish

Color	Steel
Handrail shape	3-support
Orientation	Left
Finish	Połysk

Materials

Material	AISI 304 stainless steel
Grab Bar Steel Thickness (mm)	3.0 mm
Rosette Steel Thickness (mm)	0.5 mm
Pipe Wall Thickness (mm)	1.5 mm
Support Steel Thickness (mm)	3.0 mm
Steel joining	TIG welding

Dimensions and weight

Pipe diameter (mm)	32.0 mm
Height (mm)	150.0
Width (mm)	550.0
Depth (mm)	150.0
Grab Bar Length (mm)	550.0 mm
Support diameter (mm)	75.0 mm
Rosette diameter (mm)	76.0 mm
Weight (kg)	1.9 kg
Additional dimensions	Dimensions: 150 × 550 × 150 mm

Mounting and connections

Installation orientation	Left-hand
Fixing type	wall-mounted
Mounting method	wall-mounted
Mounting hole diameter (mm)	6.5 mm
Number of mounting points	10.0
Number of support points	3
Wall plug size (mm)	10 mm x 60 mm
Screw size (mm)	6 mm x 60 mm

Set contents

Wall plugs included	Yes
Screws included	Yes

Warranty

Warranty (years)	2.0
Warranty Type	door-to-door

Logistics – unit carton

Carton weight	2.1 kg

Description

A fixed wall mount designed for installation on the left side of the sink. Three support points ensure a stable structure, and the two-arm design provides the user with support in the sink area.
The handrail is made of **AISI 304 stainless steel with a polished finish**. The tube has a diameter of Ø32 mm and a wall thickness of 1.5 mm. The steel components are joined using the TIG welding method.

- **Type: fixed handrail, 3-support**
- **Orientation: left**
- **Long arm: 550 mm**
- **Short arm: 330 mm**
- **Material: AISI 304 stainless steel**
- **Finish: gloss**
- **Pipe diameter: Ø32 mm**
- **Pipe thickness: 1.5 mm**
- **Bracket diameter: Ø75 mm**
- **Bracket thickness: 3 mm**
- **Diameter of the cover plate: Ø76 mm**
- **Rosette thickness: 0.5 mm**

Product code: S32UUL55SNP
Faneco

- **Maximum load: 120 kg**
- **Number of support points: 3**
- **Joining components: TIG welding**
- **Mounting: wall-mounted, 9-screw**
- **Diameter of mounting holes: Ø6.5 mm**
- **Overall dimensions: 150 × 550 × 150 mm**
- **Weight: 1.9 kg**

View product page
https://faneco.com/en/produkt/left-hand-3-point-fixed-disabled-grab-bar-faneco-55-cm-32-mm-polished-stainless-steel-en/

Product code: S32UUL55SNP
Faneco