
Deck-mounted Self-closing Basin Tap Faneco 9002

Code: FAN9002
EAN: 5901764296881





Faneco 9002 self-closing basin tap made of chrome-plated brass with a polished finish. Designed for cold or premixed water and activated by a push button. The water flow time can be adjusted between 8 and 12 seconds, with a flow rate limited to 6 l/min. Equipped with a standard aerator and a 1/2" connection. Its vandal-resistant construction makes it suitable for public and commercial washrooms. WRAS certified.

Technical information

About the product

Collection	FANECO
Product type	Self-closing taps
Category	Bathroom Fittings
Brand	Faneco
EAN	5901764296881

Application

Vandal resistance	Yes

Operating parameters

Water type	For cold and mixed water

Features and functions

Key features	Maximum water flow rate: 6 l/min; high resistance to vandalism; easy to use; easy installation
Adjustable head	No

Appearance and finish

Color	Chrome

Materials

Material	Chrome-plated brass

Mechanism and operation

Activation type	button

Flow time	8–12 s

Dimensions and weight

Height (mm)	103.0
Width (mm)	42.0
Depth (mm)	104.0
Weight (kg)	0.46 kg
Additional dimensions	Dimensions: 103 × 42 × 104 mm

Mounting and connections

Mounting method	Deck-mounted (on the washbasin, single hole)
Installation hole type	single-hole
Connection size	1/2"

Set contents

Installation kit	Yes
Set contents	tap; aerated spout; mounting kit

Warranty

Warranty (years)	2
Warranty Type	door-to-door (excluding consumable parts)

Logistics – unit carton

Carton Height (mm)	180.0 mm
Carton Depth (mm)	120.0 mm
Carton weight	0.5 kg

Logistics – master carton

Units per master carton	30.0
Master carton height	300.0 mm
Master carton depth	420.0 mm
Master carton width	400.0 mm
Master carton volume (m³)	0,05 m³
Master carton weight	15.0 kg

Description

The Faneco 9002 is **a compact sink faucet with a self-closing tap**, designed primarily for public and commercial restrooms. When the button is pressed, it activates the water flow for a set period of time and then **automatically shuts it off**, helping to reduce unnecessary water consumption.

Its simple design, compact size, and enhanced resistance to vandalism make this faucet well-suited for high-traffic restrooms.

- **Timed mechanism** – once activated, the battery automatically shuts off the flow without the need to press the button again.
- **Flow time: 8–12 seconds** —a single cycle provides enough water for basic handwashing while limiting uncontrolled water consumption.
- **Flow** rate **limited to 6 l/min** —helps reduce water consumption.
- **Button-activated operation** —a simple, intuitive mechanism suitable for public restrooms.
- **For cold or mixed water** —the faucet does not mix hot and cold water on its own; for mixed water, it must be prepared in advance within the plumbing system.
- **Chrome-plated brass body** —a sturdy design intended for regular use.

Product code: FAN9002
Faneco

- **Enhanced resistance to vandalism** —suitable for heavily used public restrooms.
- **Countertop installation** – the faucet is installed directly on the sink.
- **1/2" connection**.
- **Standard strainer in the spout**.
- **Included:** faucet, spout with a standard strainer, and a mounting kit for the sink.
- **Dimensions: 103 × 42 × 104 mm**.
- **Weight: 0.46 kg**.
- **WRAS Certificate**.
- **Product code: FAN9002**.
- **Warranty: 2-year door-to-door** warranty, excluding wear-and-tear parts.

The Faneco 9002 is a simple solution for bathrooms where controlling water usage and ensuring the fixtures can withstand heavy use are important. The automatic shut-off after 8–12 seconds reduces the risk of leaving the water running, and the compact design allows the faucet to be installed even on small sinks.

View product page
https://faneco.com/en/produkt/self-closing-basin-tap-faneco-9002/

Product code: FAN9002
Faneco