Faneco Straight Grab Bar for People with Disabilities, 60 cm, ⌀ 32 mm, black, steel

Code: S32UP6SWC
EAN: 5901764297499



The Faneco straight bathroom grab bar, 600 mm long, is designed for restrooms adapted to the needs of people with disabilities and users with limited mobility. The model is made of AISI 304 stainless steel coated with black epoxy paint, with a tube diameter of Ø32 mm. The grab bar can be mounted vertically or horizontally on the wall, and the 6-screw mounting system ensures a stable installation with a maximum load capacity of 120 kg.

Technical information

About the product

Product type	Straight grab bar
Category	Grab bars
Brand	Faneco
EAN	5901764297499

Application

Intended use	Accessible bathrooms

Features and functions

Max. load (kg)	120.0 kg

Appearance and finish

Color	Black
Handrail shape	Straight
Orientation	Vertical or horizontal
Finish	Malowanie farbą epoksydową
Coating	Farba epoksydowa

Materials

Material	Carbon steel
Grab Bar Steel Thickness (mm)	1.5 mm
Rosette Steel Thickness (mm)	0.5 mm
Support Steel Thickness (mm)	3.0 mm
Steel joining	TIG welding

Dimensions and weight

Pipe diameter (mm)	32.0 mm
Height (mm)	75.0mm
Width (mm)	675.0
Depth (mm)	102.0mm
Grab Bar Length (mm)	500.0 mm
Bend angle (°)	90.0 °
Distance from wall (mm)	86.0 mm
Support diameter (mm)	75.0 mm
Rosette diameter (mm)	76.0 mm
Weight (kg)	1.0 kg
Additional dimensions	Dimensions: 75 × 675 × 102 mm

Mounting and connections

Installation orientation	Vertical or horizontal
Fixing type	wall-mounted
Mounting method	wall-mounted
Mounting hole diameter (mm)	6.5 mm
Number of mounting points	6
Wall plug size (mm)	8mm x 50mm
Screw size (mm)	5mm x 60mm

Set contents

Wall plugs included	Yes
Screws included	Yes

Warranty

Warranty (years)	2
Warranty Type	door-to-door

Logistics – unit carton

Carton Height (mm)	90.0 mm
Carton Depth (mm)	125.0 mm
Carton weight	1.2 kg

Description

A simple wall-mounted grab bar designed for vertical or horizontal installation. The design provides a stable support for seniors and people with limited mobility, facilitating safe and comfortable use of bathroom fixtures.
The grab bar is made of **carbon steel coated with black epoxy paint**. The tube has a diameter of Ø32 mm and a wall thickness of 1.5 mm. The steel components are joined using the TIG welding method.

- **Type: straight handrail**
- **Installation orientation: vertical or horizontal**
- **Handrail length: 600 mm**
- **Material: carbon steel**
- **Finish: black epoxy paint**
- **Pipe diameter: Ø32 mm**
- **Pipe thickness: 1.5 mm**
- **Bracket diameter: Ø75 mm**

Product code: S32UP6SWC
Faneco

- **Bracket thickness: 3 mm**
- **Diameter of the cover plate: Ø76 mm**
- **Rosette thickness: 0.5 mm**
- **Maximum load: 120 kg**
- **Joining components: TIG welding**
- **Mounting: wall-mounted, 6-screw**
- **Diameter of mounting holes: Ø6.5 mm**
- **Overall dimensions: 75 × 675 × 102 mm**
- **Weight: 1.2 kg**

View product page
https://faneco.com/en/produkt/straight-grab-bar-for-disabled-faneco-60-cm-32-mm-black-stal-en/

Product code: S32UP6SWC
Faneco